

Trends in mortality from cardiovascular and cerebrovascular disease

Carlo La Vecchia^{1,2}, Fabio Levi^{1,3,*}, Franca Lucchini¹, Eva Negri²

¹ Institut universitaire de médecine sociale et préventive, Lausanne

² Istituto di Ricerche Farmacologiche „Mario Negri“, Milano

³ Registre vaudois des tumeurs, Institut universitaire de médecine sociale et préventive, Centre Hospitalier Universitaire Vaudois, Lausanne

Over the last few decades, substantial changes have been observed in mortality from cardio- and cerebrovascular diseases in various areas of the world^{1,2}. In most developed countries, with the main exception of Eastern Europe, major declines in mortality from cerebrovascular diseases have been registered throughout this century²⁻⁴. For cardiovascular disease and, mainly, coronary heart disease, substantial and generalized upward trends were registered during the first six decades of the century, followed by levelling off and declines in more recent calendar periods. For ischemic heart disease, the declines started in the late 1960's or early 1970's in the USA⁵, and in a few other countries such as Australia⁶, but were observed only more recently in western European countries, such as Britain, Scandinavia, France, Germany or Italy. Mortality was persistently upwards in other areas of the world, such as Eastern Europe^{1,7,8}.

The widespread and substantial declines of cerebrovascular disease can be possibly or largely explained in terms of better control of hypertension^{2,3,9}. The interpretations of trends in ischemic heart disease in developed countries is certainly more complex, and probably involves a contribution of improved diet with reduced serum cholesterol levels, reduced smoking, more efficient control of hypertension and improved physical activity^{5,10-17}.

Data and statistics on mortality from cardio- and cerebrovascular disease over the last few decades are not easily available, in a standard and comparable format, for less developed areas of the world. The World Health Organization (WHO) mortality database includes death certification data from the early 1950's onwards for most developed, and several developing countries, too. We decided, therefore, to include in a unique publication the pattern of trends in cardio- and cerebrovascular disease mortality between 1955 and 1989 for 28 European, 16 American, 10 Asian, 2 African countries, Australia and New Zealand. The tabular and graphical forms of presentation are similar to those

previously adopted for a series of reports on cancer mortality¹⁸⁻²².

The present publication has two major objectives: to provide basic documentation for epidemiology, health statistics and public health, and to offer a baseline framework for comparative inference. This may also have relevant implications for analytic epidemiology and prevention, in terms of indicating priorities for further investigation and intervention on a public health scale.

Materials and methods

Europe. Official death certification numbers were available for all or part of the calendar period considered for all European countries except the former Soviet Union and Albania. After exclusion of a few small countries, such as Andorra or Liechtenstein, 28 countries were included.

Americas. The WHO database contains some data on mortality and population for 49 American countries or territories. Excluded were all countries with less than 2,000,000 population. Out of the 24 countries left, only those with age stratified mortality and population figures of sufficient detail were retained: eight countries (Bolivia, Brazil, El Salvador, Guatemala, Haiti, Honduras, Jamaica, Nicaragua) were excluded at this stage. The analysis is based on the remaining 14 central and southern American countries; Argentina, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, Mexico, Panama, Paraguay (reporting areas only, as included in WHO database and related publications), Peru, Puerto Rico (a self-governing commonwealth, though not an independent country), Uruguay, and Venezuela, plus the United States and Canada.

Asia. Eight countries provided ischemic heart disease mortality from Asia: Hong Kong (not an independent country but a self governing commonwealth), Israel, Japan, Kuwait, Philippines, Singapore, Sri Lanka and Syria (reporting areas only). Same data on cerebrovascular disease were available from South Korea and Thailand, too.

* To whom requests for reprints should be addressed at Institut universitaire de médecine sociale et préventive, Bugnon 17, 1005 Lausanne, Switzerland

Africa. Data were available only for Mauritius, and reporting areas of Egypt.

Oceania. Data were available only for Australia and New Zealand.

During the calendar period considered (1955–1989), four different Revisions of the International Classification of Diseases (ICD) were used^{23–26}. Classification of deaths was thus recoded, for all calendar periods and countries, according to the Ninth Revision of the International Classification of Diseases (ICD-9).

This posed no major problem for all cerebrovascular diseases, since ICD codes 330–334 in the Sixth and Seventh Revisions (all cerebrovascular diseases) could be easily combined with codes 430–438 of the Eighth and Ninth Revisions. Further problems of data comparability could be related to separate types of cerebrovascular disease. Thus, for the purpose of the present analyses, only all cerebrovascular diseases as a group were considered.

Major changes, however, were introduced in the classification and coding of ischemic heart diseases between the Seventh and the Eighth Revisions of the ICD. Thus, only data registered after 1968 (i.e., using the Eighth or Ninth Revision) were considered. Codes 410–414 were pooled together in a category of “all ischemic heart diseases”.

Estimates of the resident population, generally based on official Censuses, were obtained from the same WHO databank. From the matrices of certified deaths and resident populations, age-specific rates for each five year age group and calendar period were computed. Age-standardized rates, at all ages and truncated 35–64 years, were based on the World standard population²⁷.

In a few countries, data were missing for part of one or more calendar periods (Table 1). When a single year was missing within a quinquennium, numerators and denominators were interpolated

Tab. 1 (continued)

Area and country	Ischemic heart diseases ICD 9th: 410–414	Cerebrovascular diseases ICD 9th: 430–439
Ireland	65–67, 89	89
Italy	65–67, 89	89
Luxembourg	65–70	55–66
Malta	65–67	55–64, 66
Netherlands	65–68, 89	89
Norway	65–68, 89	89
Poland	65–68	55–58
Portugal	65–70	–
Romania	65–68, 79, 85–89	55–58, 79, 85–89
Spain	65–67, 87–89	87–89
Sweden	65–68, 88–89	88–89
Switzerland	65–68	–
U.K. – England & Wales	65–67	–
U.K. – Northern Ireland	65–67	–
U.K. – Scotland	65–67	–
Yugoslavia	65–67, 89	55–60, 88–89
<i>America</i>		
Argentina	65–68, 71–76, 87–89	55–65, 71–76, 87–89
Canada	65–68, 89	89
Chile	65–67, 88–89	88–89
Colombia	65–67, 70–71, 73, 78–89	70–71, 73, 78–89
Costa Rica	65–67, 89	55–60, 89
Cuba	65–67, 89	55–63, 65–67, 89
Dominican Republic	65–67, 86–89	55–64, 86–89
Ecuador	65–67, 76, 81, 83, 89	55–60, 62, 76, 81, 83, 89
Mexico	65–67, 79–80, 84, 87–89	55–57, 79–80, 84, 87–89
Panama	65–67, 88–89	88–89
Paraguay	65–69, 80–81, 87–89	55–70, 80–81, 87–89
Peru	65–67, 74–76, 79, 84–89	55–65, 74–76, 79, 84–89
Puerto Rico	65–68, 78, 88–89	55–60, 67–68, 78, 88–89
USA	65–67, 89	89
Uruguay	65–67, 79, 88–89	61–62, 79, 88–89
Venezuela	65–67, 84, 88–89	84, 88–89

Tab. 1. Calendar years or periods for which data were missing for each country.

Area and country	Ischemic heart diseases ICD 9th: 410–414	Cerebrovascular diseases ICD 9th: 430–439
<i>Europe</i>		
Austria	65–68	–
Belgium	65–67, 85, 87–89	55–64, 85, 87–89
Bulgaria	65–67	55–63
Czechoslovakia	65–67	–
Denmark	65–68, 89	89
Finland	65–68, 89	89
France	65–67, 89	89
Germany, GDR	65–72, 79	55–72, 79
Germany, FRG	65–67	–
Greece	65–67, 89	55–60, 89
Hungary	65–68	–
Iceland	65–70	–

Africa – Asia – Oceania

Egypt (Part)	65–69, 81–86, 88–89	68–69, 81–86, 88–89
Mauritius	65–68, 88–89	55–60, 88–89
Hong Kong	65–68, 88–89	55–60, 88–89
Israel	65–74, 88–89	55–74, 88–89
Japan	65–67	–
Korea (South)	65–89	55–84, 88–89
Kuwait	65–74, 88–89	55–74, 88–89
Philippines	65–72, 77, 79–80, 82–89	55–62, 77, 79–80, 82–89
Singapore	65–68, 88–89	55–62, 88–89
Sri Lanka	65–76, 78–79, 84, 86–89	69–76, 78–79, 84, 86–89
Syrian Arab Republic (Part)	65–79, 82–83, 86–89	55–79, 82–83, 86–89
Thailand	65–89	55–56, 88–89
Australia	65–67, 89	89
New Zealand	65–67, 88–89	89

ISCHEMIC HEART DISEASES, MALES, ALL AGES




Fig. 1a

Fig. 1 (a-d). Age-standardized (world standard) death certification rates from ischemic heart diseases in countries providing data to the WHO databank. Period 1985-89, unless otherwise specified.

linearly from the previous and subsequent calendar year. No extrapolation was made for missing data at the beginning or the end of the calendar period considered, or when data on one or more quinquennia were not available.

Presentation of results

For each group of diseases and country one table and three figures are presented.

The table includes, for each calendar year and sex, the absolute number of deaths and the overall age-

standardised and truncated 35-64 years mortality rates.

The first figure includes world-standardised rates (all ages and truncated) for each 5-year calendar period in both sexes.

Age-specific rates from 30-34 to 65-69, 70-74 or 80-84 years (according to the details given by each country) were plotted against the central year of birth cohort in the second figure for males and in the third for females. The points corresponding to the same age group were joined to provide more clearly spaced graphs. Thus, in this graph the cohort effect can be read in the ordinate.

ISCHEMIC HEART DISEASES, FEMALES, ALL AGES




Fig. 1b

Finally, to provide graphical representation of the range of variation in mortality for each disease, Figure 1 and 2 give histograms of overall and truncated 35–64 years age-standardized (world standard) death rates in the most recent calendar quinquennium (1985–89, unless otherwise specified).

Ischemic heart disease

Europe – In the late 1960's, the highest mortality from all ischemic heart disease within Europe for males was in Finland (326/100,000 males, 125/100,000 females, all ages; 470 and 84 respectively from 35 to 64 years). Scotland had slightly lower

rates in males (306/100,000) but higher in females (144/100,000). Overall, age-standardized rates were around 250/100,000 males and 100/100,000 females in England and Wales, Denmark and Ireland, and over 200/100,000 in males (and around or over 100/100,000 in females) in Norway, Sweden and Czechoslovakia. Central and Eastern Europe had intermediate rates (i.e., between 150 and 200/100,000 males and 60–90/100,000 females). Ischemic heart disease mortality was lower in Southern Europe (123/100,000 males and 65/100,000 females in Italy, but under 100 for males and under 50 for females in all other southern European countries, including France), and in Poland and Romania. The lowest rates in 1965–69 were in Spain (51/100,000 males,




Fig. 1c

23/100,000 females), Poland, Romania, Yugoslavia, Greece and France. Thus, the overall difference between the highest and the lowest mortality country in Europe was over a factor six.

Over the last two decades, two different general patterns of trends were observed: in Western Europe, rates were stable, somewhat or slightly upwards or downwards until the mid 1970's, but consistent declines were registered thereafter. In Eastern Europe, consistent and steady upward trends were observed up to the most recent period. Thus, in the late 1980's the highest mortality rates, after Northern Ireland, Scotland and Finland, were registered in Czechoslovakia (250/100,000 males,

120/100,000 females) and Hungary (215/100,000 males; 101/100,000 females), together with England and Wales, where rates were around or over 200/100,000 males and 100/100,000 females. Comparable rates for females were also observed in Finland and the Republic of Ireland. The lowest rates were registered in France (68/100,000 males, 26/100,000 females). Thus, the range of variation declined to about a factor four, indicating a levelling of differences across various European areas.

The different trends observed in Western and Eastern Europe are probably due to complex modification of risk factor exposure, including dietary habits (and hence serum cholesterol levels), smok-

ISCHEMIC HEART DISEASES, FEMALES, 35-64 YEARS




Fig. 1d

ing, control of hypertension, physical exercise as well as different availability and utilization of some recent therapeutic improvements.

The pattern of trends was qualitatively similar, but quantitatively more favourable in the truncated rates from 35 to 64 years.

Americas – In the late 1960's, the highest mortality from ischemic heart disease was registered in the United States (330/100,000 males, 166/100,000 females), and Canada (271/100,000 males, 131/100,000 females). Rates were lower in Latin America and the Caribbean, although substantial heterogeneities were observed. For instance, rates were around or above 150/100,000 males and 100/

100,000 females in Argentina, Cuba, Puerto Rico and Uruguay, but only 44/100,000 males and 30/100,000 females in Mexico, and even lower in Ecuador, Peru and the Dominican Republic.

Ischemic heart disease mortality declined substantially in North America, and rates for the United States or Canada are now about a half than two decades earlier. The falls were proportionally even greater in middle and younger age, suggesting that favourable trends may continue in the near future. Similar declines were observed also in Argentina and, though at a variable extent, in several other Latin American countries, including Chile, Panama, Uruguay and Venezuela. Among low mortality countries, several of them (including Mexico, Para-

CEREBROVASCULAR DISEASES, MALES, ALL AGES




Fig. 2a

Fig. 2(a–d). Age-standardized (world standard) death certification rates from cerebrovascular diseases in countries providing data to the WHO databank. Period 1985–89, unless otherwise specified.

guay and Peru) maintained stable rates, while some upward trend was registered in others (i.e., Costa Rica, the Dominican Republic), although absolute values were still relatively low in both sexes and various subsequent age groups.

Africa – Some data from Africa were available only from two countries, Egypt and Mauritius.

Egypt had low rates of ischemic heart disease, around 40–45/100,000 males and 15–20/100,000 females. Some moderate decline was registered in males, and some increase in females, but, overall, there was no consistent trend.

Mauritius had much higher rates, and showed substantial increases over time. Starting from

92/100,000 males and 40/100,000 females in the late 1960's, mortality more than doubled in the early 1980's and flattened off around these higher values only more recent periods.

Asia – Major differences in ischemic heart disease mortality were evident among various reporting countries and areas from Asia.

Rates were relatively high (around 200/100,000 males and over 100/100,000 females, all ages, world standard) in the late 1970's in Israel and Kuwait, but in both countries declines of about 20–30% were registered over the last decade. Similar favourable trends were observed in the reporting areas of Syria in the late 1980's, although absolute val-

CEREBROVASCULAR DISEASES, FEMALES, ALL AGES




Fig. 2b

ues were lower (around 45/100,000 males and 25/100,000 females in 1985-89).

Singapore started from values around 115/100,000 males and 50/100,000 females in the late 1960's, but trends were unfavourable (at least until the early 1980's). Thus, in the 1980's, ischemic heart disease mortality was around 150/100,000 males and 90/100,000 females.

Rates were relatively low, in the absence of consistent trends, in the Philippines and Sri Lanka (i.e., around 50-65/100,000 males, and 20-45/100,000 females).

The most remarkable and important trends were however observed in Japan. In fact, not only ischemic heart disease was extremely low (50/100,000 males, 27/100,000 females in the late 1960's), but steady and consistent declines were registered over

time, to reach values of 33 and 18 respectively in the late 1980's. In both sexes, the declines were even greater in young and middle age.

Oceania – Australia and New Zealand had high rates of ischemic heart disease mortality in the late 1960's, i.e., around 300-320/100,000 males and 130-150/100,000 females. In both countries, there were steady and substantial declines in both sexes, although these were quantitatively greater in Australia. Thus, in the late 1980's, overall ischemic heart disease mortality in Australia was 183 for males and 88 for females, while in New Zealand corresponding rates were 220 and 102/100,000.

Thus, there were considerable similarities in ischemic heart disease mortality patterns and trends in Oceania and North America.

CEREBROVASCULAR DISEASES, MALES, 35-64 YEARS




Fig. 2c

Cerebrovascular disease

Europe – Overall age-standardized mortality from cerebrovascular diseases in the late 1950's was between 80 and 130/100,000 males in most European countries. Values were somewhat lower for females, particularly at younger age and hence in the truncated rates from 35 to 64 years. The lowest rates were observed in East Germany (about 40/100,000) and Poland (about 35/100,000).

Over the following three decades in all western European countries, except Greece and Portugal, substantial declines in overall cerebrovascular disease mortality were observed and, in the late 1980's, rates ranged between 40 and 80/100,000 males and 30 and 60/100,000 females in most countries. In several countries these falls became steeper over

more recent calendar periods. The downward trends were even larger in young and middle age; in 1985–89, for instance, Switzerland had a truncated rate (35–64 years) of 17/100,000 males and 10/100,000 females, and several other western European countries had truncated rates around 20–30/100,000 males and 15–25/100,000 females. In Greece, overall mortality from cerebrovascular diseases remained stable around 80/100,000 in both sexes, although appreciable declines were observed in the truncated rates, particularly among females. In Portugal, mortality markedly increased until the late 1970's, to approach 200/100,000 males and 145/100,000 females, and started only subsequently to decline, still remaining over 140/100,000 males and 100/100,000 females (i.e., the second highest on a worldwide scale) in the late 1980's.

CEREBROVASCULAR DISEASES, FEMALES, 35-64 YEARS




Fig. 2d

Cerebrovascular disease mortality increased in all Eastern Europe, including both countries with low rates in the 1950's (i.e., Poland or former Eastern Germany, where rates were in the late 1980's over 60/100,000 males and over 40/100,000 females), and those whose rates were already high in the 1950's. Thus, rates for Bulgaria were in 1985–89 over 160/100,000 males and over 125/100,000 females (i.e., the highest on a worldwide scale) and those of Czechoslovakia 127 and 97/100,000, respectively. These upward trends were observed, and proportionally similar, in middle age, too. There is therefore a clear distinction between trends of cerebrovascular diseases in Western and Eastern Europe. Since hypertension is the main determinant of cerebrovascular diseases^{2–4}, this would suggest that inadequate control of hypertension on

a population level is still widespread in Eastern Europe. Additional risk factors, including smoking, alcohol consumption and diet (including salt for food processing and conservation) may have had some role on these unfavourable trends, too^{2, 28, 29}. Urgent preventive intervention, on a population level, is in any case required to control mortality from cerebrovascular disease in Eastern Europe.

Americas – In the United States and Canada, overall age-standardized mortality from cerebrovascular diseases was around 80/100,000 in both sexes in the late 1950's, and steadily declined to about 30/100,000 in 1985–89.

Rates were comparable in the past in several Latin American countries to those of the United States or

Canada, including Argentina, Chile, Cuba, Panama and Uruguay, but the declines were much smaller. Thus, in the late 1980's, cerebrovascular disease mortality was still between 50 and 75/100,000 for both sexes in these countries. Still, it is somewhat encouraging that the downward trends were generally greater at younger and middle age also in these areas.

Other Latin American countries, including Mexico, Colombia, Costa Rica, Ecuador, Peru and Venezuela started from lower values in the 1950's (i.e., from 30 to 50/100,000), but showed no systematic downward trend, and, if anything, some increase in mortality. Thus, in the late 1980's, cerebrovascular disease mortality for both sexes was higher in Mexico than in the United States or Canada. Finally, Paraguay had high (around 100/100,000 males and 85/100,000 females) and constant cerebrovascular disease mortality rates from the early 1970's onwards.

As for Europe, these different trends in North and Latin America probably reflect a less efficient control of hypertension – and other risk factor exposure – in Latin America. Although a similar line of reasoning with reference to risk factor exposure to that expressed for Eastern Europe may be put forward, absolute values remain generally and appreciably lower in South America as compared to Eastern Europe.

Africa – In the 1950's and 1960's, Egypt had low mortality rates from cerebrovascular disease (10 to 20/100,000 in both sexes). These, however, showed appreciable upward trends over more recent calendar periods. In contrast, in Mauritius rates were high (between 120 and 170/100,000 males, and between 70 and 100/100,000 females i.e., among the highest registered on a worldwide scale), and showed no consistent trend over time.

Asia – Different patterns emerged in various areas from Asia providing information on cerebrovascular disease. Syria and Thailand, for instance, had exceedingly low rates (i.e., the lowest on a worldwide scale), which may cast doubt on the reliability of certification, although mortality from cerebrovascular disease was low in other Middle East and Southern Asian countries.

Among these, Israel and Kuwait had low rates in the 1970's (i.e., between 50 and 80/100,000 in both sexes), and showed further declines over time, to reach values of 30–40/100,000. The Philippines and Sri Lanka had also low rates (i.e., 13 to 40/100,000 in the two sexes), in the absence however, of consistent trends over time. Hong Kong started from relatively high rates (114/100,000 males and 67/100,000 females), but showed substantial reduction over time to reach values of 56 for males and 44 for females. South Korea had, in the late 1980's, still relatively high rates (129/100,000 males and 73/100,000 females).

A most remarkable trend was again observed in Japan, whose rates of all cerebrovascular disease deaths peaked at 235/100,000 males and 160/100,000 females in the early 1960's, but substantially declined thereafter to reach 75/100,000 males and 53/100,000 females in the late 1980's. These values are now comparable to those observed in North America and most western European countries, indicating that the control of cerebrovascular disease (particularly in terms of its main risk factor, hypertension) has been one of the main advancements in Japan on a population and public health level.

Oceania – In the late 1950's, mortality from cerebrovascular diseases was over 100/100,000 for both sexes in Australia, 81 to 95 in males and females, respectively, in New Zealand. In both countries, rates were approximately stable until the mid 1970's, but declined appreciably thereafter, more markedly in Australia than in New Zealand. Rates in the late 1980's were around 50/100,000 males and 45/100,000 females in Australia, and around 55 in both sexes in New Zealand.

References

- 1 Uemura K, Pisa Z. Trends in cardiovascular disease mortality in industrialized countries since 1950. *World Health Stat Q* 1988; 41:155–178.
- 2 Ostfeld AM. A review of stroke epidemiology. *Epidemiol Rev* 1980; 2:136–152.
- 3 Whisnant JP. The decline of stroke. *Stroke* 1984; 15:160–168.
- 4 Fratiglioni L, Massey EW, Schoenberg DG, Schoenberg BS. Mortality from cerebrovascular disease. International comparisons and temporal trends. *Neuroepidemiology* 1983; 2:101–116.
- 5 Ragland KE, Selvin S, Merrill DW. The onset of decline in ischemic heart disease mortality in the United States. *Am J Epidemiol* 1988; 127:516–531.
- 6 Dobson AJ, Gibberd RW, Wheeler DJ, Leeder SR. Age-specific trends in mortality from ischemic heart disease and cerebrovascular disease in Australia. *Am J Epidemiol* 1981; 113:404–412.
- 7 Thom TJ. International mortality from heart disease: rates and trends. *Int J Epidemiol* 1989; 18(Suppl 1):S20–S28.
- 8 Beaglehole R. International trends in coronary heart disease mortality, morbidity, and risk factors. *Epidemiol Rev* 1990; 12:1–15.
- 9 MacMahon S, Peto R, Cutler J, Collins R, Sorlie P, Neaton J, Abbott R, Godwin J, Dyer A, Stanler J. Blood pressure, stroke, and coronary heart disease. Part 1. Prolonged differences in blood pressure: prospective observational studies corrected for the regression dilution bias. *Lancet* 1990; 335:765–774.
- 10 Rose G. Causes of the trends and variations in CHD mortality in different countries. *Int J Epidemiol* 1989; 18(Suppl 1):S174–S179.
- 11 Gramenzi A, Gentile A, Fasoli M, Negri E, Parazzini F, La Vecchia C. Association between certain foods and risk of acute myocardial infarction in women. *Br Med J* 1990; 300:771–773.
- 12 Kushi LH, Lew RA, Stare FJ, Curtis RE, El Lozy M, Bourke G, Daly L, Graham I. Diet and 20-year mortality from coronary heart disease. *N Engl J Med* 1985; 312:811–818.

- 13 Yusuf S, Collins R, Peto R, Furberg C, Stampfer MJ, Goldhaber SZ, Hennekens CH. Intravenous and intracoronary fibrinolytic therapy in acute myocardial infarction: overview of results on mortality, reinfarction and side-effects from 33 randomised controlled trials. *Eur Heart J* 1985; 6:556-585.
- 14 Gruppo Italiano per lo Studio della Streptochinasi nell'Infarto Miocardico (GISSI). Effectiveness of intravenous thrombolytic treatment in acute myocardial infarction. *Lancet* 1986; i:397-402.
- 15 ISIS-2 Collaborative Group. Randomised trial of intravenous streptokinase, oral aspirin, both, or neither among 1718 cases of suspected acute myocardial infarction: ISIS-2. *Lancet* 1988; ii:351-360.
- 16 Killip T. Has coronary bypass surgery influenced mortality from cardiovascular disease in the United States? In: Higgins MW, Luepker RV, eds. Trends in coronary heart disease mortality. The influence of medical care. New York: Oxford Univ Press 1988; 250-258.
- 17 U.S. Public Health Service: *Smoking and health*. A report of the Surgeon General of the Public Health Service. The health consequences of smoking: Cardiovascular disease. Washington, GPO, 1984.
- 18 La Vecchia C, Lucchini F, Negri E, Boyle P, Maisonneuve P, Levi F. Trends of cancer mortality in Europe, 1955-89. I - Digestive sites. *Eur J Cancer* 1992; 28:132-235.
- 19 La Vecchia C, Lucchini F, Negri E, Boyle P, Maisonneuve P, Levi F. Trends of cancer mortality in Europe, 1955-89. II - Respiratory tract, bone, connective and soft tissue sarcomas and skin. *Eur J Cancer* 1992; 28:514-599.
- 20 La Vecchia C, Lucchini F, Negri E, Boyle P, Maisonneuve P, Levi F. Trends of cancer mortality in Europe, 1955-89. III - Breast and genital sites. *Eur J Cancer* 1992; 28:927-998.
- 21 La Vecchia C, Lucchini F, Negri E, Boyle P, Maisonneuve P, Levi F. Trends of cancer mortality in Europe, 1955-89. IV - Urinary tract, eye, brain and nerves, and thyroid. *Eur J Cancer* 1992; 28:1210-1281.
- 22 La Vecchia C, Lucchini F, Negri E, Boyle P, Maisonneuve P, Levi F. Trends of cancer mortality in Europe, 1955-89. V - Lymphohaemopoietic and all cancers. *Eur J Cancer* 1992; 28:1509-1581, 1992.
- 23 World Health Organization. International Classification of Disease: 6th Revision. Geneva, World Health Organization, 1950.
- 24 World Health Organization. International Classification of Disease: 7th Revision. Geneva, World Health Organization, 1957.
- 25 World Health Organization. International Classification of Disease: 8th Revision. Geneva, World Health Organization, 1967.
- 26 World Health Organization. International Classification of Disease: 9th Revision. Geneva, World Health Organization, 1977.
- 27 Doll R, Smith PG. Comparison between registries: age-standardized rates. In: Waterhouse JAH, Muir CS, Shanmugaratnam K, et al. eds. Cancer incidence in Five Continents, Vol. IV. IARC Scient Publ No 42:671-675, Lyon, International Agency for Research on Cancer, 1982.
- 28 Marmot MG, Poulter NR. Primary prevention of stroke. *Lancet* 1992; 339:344-347.
- 29 Epstein FH. What are the possible strategies for preventing stroke, besides controlling hypertension. *Nutrition, Metabolism and Cardiovascular Dis* 1991; 1:1-15.

Acknowledgements

This study has been made possible by a core grant of the Swiss League against cancer. This study was conducted within the framework of the CNR (Italian National Research Council) Applied Project "Prevention and Control of Disease Factors" and of the "Europe Against Cancer" Programme of the Commission of the European Communities.

ISCHEMIC HEART DISEASES
AUSTRIA







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	8362	168.99	183.56	7931	88.35	43.39
70-74	44746	177.12	181.20	44534	92.39	42.16
75-79	49895	191.23	188.85	52790	98.69	42.60
80-84	41322	155.35	179.28	35301	63.55	38.97
85-89	39831	142.71	152.54	37986	61.70	33.33

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
BELGIUM

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	21070	155.02	212.14	12935	63.59	49.25
70-74	54365	157.81	208.86	34434	64.22	49.50
75-79	50839	143.18	184.47	33458	56.88	40.86
80-84	44511	121.84	153.42	31003	48.74	35.40
85-89*	8069	104.81	123.37	6010	42.51	27.53




* Information is missing for one or more years



ISCHEMIC HEART DISEASES BULGARIA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	12882	132.45	98.19	12848	104.47	42.71
70-74	43817	168.35	124.44	41356	124.87	50.64
75-79	53254	181.99	154.80	46550	124.85	53.05
80-84	49777	154.52	165.52	37892	91.00	46.48
85-89	59344	177.91	178.82	46672	104.94	47.30




* Information is missing for one or more years



ISCHEMIC HEART DISEASES CZECHOSLOVAKIA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	38135	228.14	245.30	31333	123.48	63.69
70-74	104328	241.48	255.46	89979	130.72	66.08
75-79	110070	244.76	267.24	97294	128.82	66.67
80-84	113184	242.56	282.40	98551	120.79	68.78
85-89	118945	248.65	289.02	104287	120.38	72.13




* Information is missing for one or more years



ISCHEMIC HEART DISEASES
DENMARK




Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	8501	237.02	210.14	5864	121.91	55.04
70-74	45916	244.64	228.09	32053	121.19	59.51
75-79	49044	244.43	238.56	34600	111.68	59.00
80-84	47979	226.29	220.15	36204	101.42	54.06
85-89*	36080	203.32	189.92	29354	92.27	48.18

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
FINLAND

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	7234	325.94	469.56	4383	125.38	83.63
70-74	36872	314.72	451.78	22097	115.24	79.26
75-79	39271	304.71	425.16	24917	108.77	70.02
80-84	38860	273.70	347.04	27853	99.98	55.07
85-89*	31339	252.68	289.63	25629	99.18	50.65




* Information is missing for one or more years



ISCHEMIC HEART DISEASES FRANCE

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	45953	70.23	86.65	32683	27.88	19.07
70-74	127498	73.23	88.45	95991	29.54	18.49
75-79	142055	75.57	90.51	107125	29.42	16.67
80-84	143943	71.03	80.65	114499	27.82	13.73
85-89*	117144	68.03	74.04	95387	26.48	12.75




* Information is missing for one or more years



ISCHEMIC HEART DISEASES GERMANY, GDR

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	26250	109.76	127.57	23304	50.12	29.93
75-79*	55159	116.74	130.14	52308	54.31	29.92
80-84	77745	136.97	147.37	75319	60.85	33.88
85-89	78895	143.13	145.53	83526	66.11	34.84

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
GERMANY,FRG







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	119306	152.70	187.89	78983	60.65	39.45
70-74	334828	166.06	191.80	248873	69.73	40.20
75-79	370419	175.85	191.67	304406	74.28	39.66
80-84	363942	164.18	178.30	300555	64.99	36.77
85-89	354177	149.30	147.15	329153	62.48	32.39

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
GREECE

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	6648	64.83	78.50	3932	28.58	19.64
70-74	21001	70.39	92.30	12720	30.97	22.39
75-79	27714	84.10	115.22	16038	34.41	25.21
80-84	29722	81.65	114.43	15270	29.77	23.15
85-89*	27118	86.16	118.10	15120	33.01	23.42




* Information is missing for one or more years



ISCHEMIC HEART DISEASES HUNGARY

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	12006	188.57	183.72	10393	112.79	60.80
70-74	64945	197.01	198.52	57154	115.24	67.07
75-79	71139	204.61	233.77	59629	109.43	71.49
80-84	77370	218.08	297.53	59073	101.38	79.73
85-89	77218	215.21	291.15	62397	100.90	80.42




* Information is missing for one or more years



ISCHEMIC HEART DISEASES ICELAND

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69						
70-74*	1002	217.37	260.29	540	85.50	56.89
75-79	1290	199.30	243.39	773	84.30	48.75
80-84	1550	214.75	249.21	914	81.38	42.44
85-89	1464	176.20	174.78	966	74.60	34.46

* Information is missing for one or more years



ISCHEMIC HEART DISEASES IRELAND







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	9332	234.73	280.08	5823	117.84	96.28
70-74	25363	251.78	300.32	16047	124.03	98.77
75-79	26940	261.29	310.21	16784	121.81	92.35
80-84	26400	250.99	299.05	15977	108.85	84.83
85-89*	21154	242.12	268.27	13467	104.87	71.99

* Information is missing for one or more years

ISCHEMIC HEART DISEASES ITALY

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	78337	123.38	135.72	61753	65.22	34.41
70-74	210370	123.89	131.44	174751	65.89	32.51
75-79	247080	130.16	146.01	200322	64.66	31.87
80-84	218574	108.80	125.48	166090	48.44	25.25
85-89*	159688	92.50	105.51	117889	38.59	20.85




* Information is missing for one or more years



ISCHEMIC HEART DISEASES LUXEMBOURG

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	1290	135.99	214.22	614	44.50	43.90
75-79	1690	138.10	207.49	921	47.91	41.12
80-84	1791	142.22	200.79	1151	53.59	40.69
85-89	1739	131.06	145.37	1250	51.53	31.53




* Information is missing for one or more years



ISCHEMIC HEART DISEASES MALTA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	553	162.42	217.33	358	84.13	73.37
70-74	1156	141.61	197.39	681	64.95	60.17
75-79	1713	238.11	270.44	1279	140.08	87.25
80-84	1982	231.03	235.41	1539	126.53	69.87
85-89	1890	183.39	180.36	1498	101.42	55.61




* Information is missing for one or more years



ISCHEMIC HEART DISEASES NETHERLANDS

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	14001	179.07	215.99	8095	77.30	43.01
70-74	76084	187.39	228.41	44986	78.67	46.58
75-79	79414	182.28	216.57	48449	72.46	44.36
80-84	75593	161.26	184.96	48827	62.73	40.22
85-89*	58625	146.38	159.31	39853	56.36	35.75




* Information is missing for one or more years



ISCHEMIC HEART DISEASES NORWAY

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	6314	218.57	249.90	3867	93.42	47.32
70-74	32534	215.18	246.13	19555	88.16	46.27
75-79	32643	202.32	233.40	19498	77.60	42.49
80-84	33647	195.59	223.00	20949	72.92	39.73
85-89*	28139	194.32	214.08	18195	71.09	39.37

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
POLAND







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	9696	64.68	101.30	4682	21.55	21.32
70-74	69320	88.40	134.15	37881	32.06	28.02
75-79	95930	109.77	172.27	54069	38.90	34.04
80-84	106339	113.44	195.17	53175	35.77	38.21
85-89	126282	127.46	230.10	58874	38.32	47.39

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
PORTUGAL

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	16604	89.68	100.73	13443	46.57	35.13
75-79	22741	90.12	101.98	17157	43.01	31.76
80-84	23318	76.94	92.99	17248	35.85	25.62
85-89	24382	70.79	84.38	18123	32.24	22.97

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
ROMANIA







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	7128	74.42	76.80	6530	49.76	30.48
70-74	42747	82.16	87.89	38440	53.64	33.87
75-79*	43826	93.68	105.50	38532	61.78	39.12
80-84	79968	125.95	144.90	70577	82.19	53.02
85-89						

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
SPAIN

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	18412	50.91	60.52	12186	23.28	14.49
70-74	64101	66.59	80.21	42281	28.86	17.54
75-79	85092	80.96	95.74	58336	35.35	19.87
80-84	89137	73.97	90.13	58933	29.93	17.31
85-89*	37874	72.44	87.50	25308	28.60	15.45

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
SWEDEN







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	14692	221.27	178.34	10340	115.66	46.63
70-74	85802	244.88	200.80	61269	123.44	45.90
75-79	93113	247.18	211.56	65845	113.79	44.55
80-84	93221	231.74	201.26	65927	99.02	39.48
85-89*	52483	205.95	177.50	37642	84.79	34.59

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
SWITZERLAND

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	4073	108.16	128.24	2411	41.90	28.34
70-74	21206	106.33	127.65	13032	41.18	24.48
75-79	25379	116.05	132.52	15656	42.54	24.78
80-84	27535	114.85	121.98	18641	42.39	22.06
85-89	27773	104.95	101.88	20777	40.19	17.22

* Information is missing for one or more years



ISCHEMIC HEART DISEASES UK, ENGLAND & WALES







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	160609	249.06	296.34	117388	104.13	68.15
70-74	426380	252.39	308.87	312890	104.38	71.77
75-79	450541	252.46	308.28	332805	104.02	74.12
80-84	445926	233.63	280.07	332302	96.16	69.45
85-89	435409	212.89	240.98	345485	91.94	62.79

* Information is missing for one or more years

ISCHEMIC HEART DISEASES UK, NORTHERN IRELAND

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	5104	283.41	346.67	3545	134.11	98.41
70-74	13806	307.74	387.28	9451	136.03	104.14
75-79	14217	321.51	393.89	10005	139.38	112.00
80-84	13973	293.50	360.75	9970	124.94	100.44
85-89	13032	266.01	303.33	10182	117.70	87.32

* Information is missing for one or more years



ISCHEMIC HEART DISEASES UK, SCOTLAND







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	19715	306.44	376.03	15315	143.75	111.80
70-74	51993	314.91	399.33	40190	142.43	120.39
75-79	52446	307.53	387.37	41487	137.74	117.04
80-84	50848	284.32	362.96	40565	126.87	107.93
85-89	49450	263.61	315.37	41921	121.85	97.31

* Information is missing for one or more years

ISCHEMIC HEART DISEASES YUGOSLAVIA

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	11541	63.60	81.29	9113	37.56	31.64
70-74	36688	75.99	95.69	28113	42.52	32.00
75-79	48472	89.76	119.65	36932	49.70	41.61
80-84	52067	86.85	131.81	33616	40.75	39.09
85-89*	48411	93.34	144.67	29504	40.85	42.65

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
CANADA







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	29936	271.41	315.92	18458	130.69	84.96
70-74	153454	264.66	309.16	97215	122.75	76.50
75-79	152473	238.21	277.52	100077	108.15	68.51
80-84	142645	196.04	218.30	99908	90.69	54.85
85-89*	107959	164.61	172.74	80059	76.78	43.56

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
UNITED STATES OF AMERICA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	777683	330.47	407.22	568893	166.01	120.36
70-74	1916270	310.67	373.27	1458031	153.89	110.01
75-79	1738252	256.97	302.34	1382602	123.95	87.25
80-84	1502506	201.33	227.29	1264973	98.99	67.69
85-89*	1092627	166.07	180.65	986637	86.33	57.02

* Information is missing for one or more years



ISCHEMIC HEART DISEASES ARGENTINA







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	20364	176.28	224.07	11775	88.94	61.20
70-74*	20476	182.10	216.12	12166	89.23	62.89
75-79*	58797	136.38	169.02	37485	70.10	43.36
80-84	82817	106.72	137.56	52206	50.19	34.04
85-89*	28955	89.93	117.42	18491	40.94	29.01

* Information is missing for one or more years

ISCHEMIC HEART DISEASES CHILE

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	6090	112.69	117.40	5055	75.05	56.28
70-74	15937	106.20	104.96	13629	69.80	51.41
75-79	16061	93.30	82.54	13456	54.92	35.52
80-84	19313	96.44	85.27	15383	53.75	32.46
85-89*	11694	89.71	72.78	10159	53.20	27.65




* Information is missing for one or more years



ISCHEMIC HEART DISEASES
COLOMBIA




Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	7649	83.20	101.63	6182	58.40	63.55
70-74*	10586	101.13	121.43	8030	67.65	71.02
75-79*	17486	103.19	120.03	13505	71.31	71.02
80-84						
85-89						

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
COSTA RICA

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	783	95.37	97.97	570	67.27	46.07
70-74	1811	75.82	80.60	1411	57.09	43.05
75-79	2445	89.73	83.38	1619	54.35	36.09
80-84	3480	104.50	92.42	2543	71.95	45.36
85-89*	3581	124.92	93.34	2515	71.74	38.68

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
CUBA







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	10752	177.85	135.82	7289	127.14	77.58
70-74	29231	144.71	125.64	21380	113.63	75.90
75-79	36989	158.96	148.91	26710	122.40	85.65
80-84	39181	146.28	149.86	28405	108.91	82.76
85-89*	35967	151.84	157.85	27108	111.47	83.15

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
DOMINICAN REPUBLIC

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	574	28.12	42.20	314	16.16	22.45
70-74	1846	32.72	49.76	1152	20.70	27.48
75-79	2425	36.98	54.08	1534	24.01	31.73
80-84	3715	50.96	66.51	2635	35.95	41.86
85-89*	1002	65.03	79.72	733	45.25	46.92

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
ECUADOR







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	583	22.63	25.67	468	14.99	14.63
70-74	2678	36.34	38.09	1931	23.35	20.92
75-79*	2919	39.15	42.16	2287	26.45	22.46
80-84*	2353	37.54	39.63	1658	23.76	17.60
85-89*	3825	38.52	39.09	2817	24.80	19.36

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
MEXICO

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	10481	43.84	62.15	7707	29.67	32.66
70-74	30259	43.09	57.92	22465	28.76	29.66
75-79*	21825	47.12	59.91	15785	30.13	28.10
80-84*	30121	55.24	68.56	21124	32.74	28.80
85-89*	23109	56.48	64.99	16810	33.38	26.34




* Information is missing for one or more years



ISCHEMIC HEART DISEASES PANAMA

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	690	90.15	91.37	600	72.87	57.65
70-74	2148	94.81	81.01	1811	78.28	44.50
75-79	2132	83.83	78.17	1752	65.16	39.58
80-84	2669	83.03	71.67	2001	59.58	30.27
85-89*	1744	78.80	65.85	1310	58.31	30.31




* Information is missing for one or more years



ISCHEMIC HEART DISEASES PARAGUAY(REPORTING)

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69						
70-74	1213	69.40	84.24	968	42.80	33.39
75-79	1646	75.77	85.64	1330	46.79	37.42
80-84*	1232	64.61	82.74	920	36.58	34.76
85-89*	902	75.72	81.79	736	50.46	41.57

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
PERU







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1793	29.22	29.21	1476	20.67	13.60
70-74*	4331	32.79	29.79	3377	22.25	13.37
75-79*	2142	25.10	24.48	1855	19.05	9.90
80-84*	5638	30.04	27.32	4436	20.34	12.07
85-89						

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
PUERTO RICO

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	1664	151.01	152.98	1304	109.21	76.32
70-74	9244	142.48	151.64	7395	99.09	64.99
75-79*	8429	145.64	156.39	6725	99.90	70.76
80-84	9318	107.24	124.78	6958	66.64	48.85
85-89*	6339	114.00	137.56	4894	71.08	53.60

* Information is missing for one or more years



ISCHEMIC HEART DISEASES URUGUAY







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	5084	172.34	165.54	3617	95.94	57.65
70-74	13958	179.92	185.01	10379	104.07	61.22
75-79*	11336	163.51	183.21	8057	80.98	49.16
80-84	12139	129.11	145.82	8655	63.14	39.48
85-89*	6582	110.14	119.25	5027	55.98	33.14

* Information is missing for one or more years

ISCHEMIC HEART DISEASES VENEZUELA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	4921	123.21	147.21	3819	78.42	73.74
70-74	14401	119.12	150.97	10600	75.37	73.03
75-79	17756	118.55	150.48	12724	77.61	69.16
80-84*	16815	109.97	144.80	11267	65.55	61.73
85-89*	13162	98.26	116.94	9441	61.77	53.59

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
EGYPT (PART)







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69						
70-74	23392	44.27	84.92	8393	15.56	22.14
75-79	22093	35.46	68.61	8058	13.17	20.14
80-84*	4780	34.95	66.26	1933	14.63	21.49
85-89*	5347	38.73	59.88	2622	19.49	22.56

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
MAURITIUS

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	197	92.45	145.01	100	39.78	54.13
70-74	1346	114.92	185.19	665	49.23	55.63
75-79	2193	164.87	276.53	1001	65.15	74.39
80-84	2771	191.92	296.60	1616	89.90	99.86
85-89*	1854	188.60	281.10	1079	91.86	101.41

* Information is missing for one or more years



ISCHEMIC HEART DISEASES HONG KONG







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	349	38.62	37.86	248	16.18	11.31
70-74	2982	54.41	48.55	2764	30.14	21.40
75-79	4529	61.44	54.72	3845	32.36	21.06
80-84	5935	56.44	49.11	5081	32.73	21.98
85-89*	4224	55.45	46.92	3540	31.51	19.01

* Information is missing for one or more years

ISCHEMIC HEART DISEASES ISRAEL

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79	18977	207.69	210.72	13700	133.02	83.07
80-84	17927	167.04	182.06	12718	99.20	60.79
85-89*	10894	150.61	155.16	8017	88.08	48.23

* Information is missing for one or more years



ISCHEMIC HEART DISEASES
JAPAN







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	42608	50.06	49.08	30682	27.48	19.87
70-74	114572	48.69	44.62	87714	27.59	17.88
75-79	123501	44.28	38.27	100039	25.30	13.27
80-84	133946	39.96	34.22	110874	22.26	10.84
85-89	131209	32.58	26.46	114265	17.81	7.80

* Information is missing for one or more years

ISCHEMIC HEART DISEASES
KUWAIT

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69						
70-74						
75-79	1879	187.56	236.20	828	108.68	87.89
80-84	1983	146.92	190.91	619	73.47	72.83
85-89*	1525	158.63	209.59	419	73.09	74.92

* Information is missing for one or more years



ISCHEMIC HEART DISEASES PHILIPPINES







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74*	11675	60.49	71.03	7903	41.63	32.96
75-79*	22257	65.72	80.95	15529	46.25	36.72
80-84*	6704	58.85	64.31	4379	35.78	26.73
85-89						

* Information is missing for one or more years

ISCHEMIC HEART DISEASES SRI LANKA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79*	1944	39.44	71.50	583	14.25	17.65
80-84*	7121	33.32	58.79	2454	13.28	16.45
85-89*	2867	50.99	91.91	962	19.22	23.89


* Information is missing for one or more years



ISCHEMIC HEART DISEASES SINGAPORE

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	582	115.80	158.65	265	49.46	52.84
70-74	3440	114.17	174.50	1528	48.60	47.57
75-79	5168	156.15	212.35	2834	76.82	67.14
80-84	6822	165.26	240.49	3946	85.46	74.15
85-89*	4261	156.08	203.10	2945	92.45	79.50






* Information is missing for one or more years



ISCHEMIC HEART DISEASES SYRIA (PART)

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84*	4131	54.67	91.66	2287	28.16	34.24
85-89*	1513	46.91	78.80	838	24.08	30.44

* Information is missing for one or more years



ISCHEMIC HEART DISEASES AUSTRALIA







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	40285	325.11	388.27	25837	149.22	114.30
70-74	100958	309.11	365.11	67327	143.32	108.94
75-79	96978	259.81	300.97	65743	118.66	86.99
80-84	92031	215.06	228.72	64814	98.25	65.36
85-89*	72423	183.04	180.43	55860	88.22	50.37

* Information is missing for one or more years

ISCHEMIC HEART DISEASES NEW ZEALAND




Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	8522	300.25	366.16	5130	131.51	111.68
70-74	21558	288.12	350.50	13453	127.63	104.40
75-79	21940	269.32	318.47	13822	118.76	93.23
80-84	21520	238.98	267.79	14723	108.85	79.38
85-89*	12959	220.15	242.46	9450	102.09	70.58

* Information is missing for one or more years



CEREBROVASCULAR DISEASES AUSTRIA




Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	24434	108.09	68.01	32597	95.10	53.94
60-64	26960	112.73	68.18	36405	92.55	45.99
65-69	28555	113.41	64.92	40439	91.01	39.48
70-74	29503	113.33	65.95	43172	88.42	38.84
75-79	28294	103.02	60.30	43534	80.57	33.40
80-84	27775	96.58	56.05	44912	74.79	29.21
85-89	24460	79.89	43.31	41728	61.95	22.33



CEREBROVASCULAR DISEASES BELGIUM

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69	32891	93.64	55.14	38897	74.66	36.94
70-74	34958	96.55	55.09	43806	77.01	37.83
75-79	30680	81.01	45.64	41045	64.98	31.31
80-84	25976	65.81	36.85	37199	52.93	24.97
85-89*	4596	54.15	31.85	6903	44.16	21.88

* Information is missing for one or more years









CEREBROVASCULAR DISEASES BULGARIA

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64*	5248	117.75	83.90	6908	125.66	83.30
65-69	31712	132.82	93.09	40762	137.77	87.21
70-74	38402	144.07	102.28	45863	139.15	86.83
75-79	47599	158.02	123.33	52750	142.06	91.71
80-84	55304	167.08	132.02	57501	138.63	83.48
85-89	55358	160.58	136.53	56490	127.21	76.31

* Information is missing for one or more years

CEREBROVASCULAR DISEASES CZECHOSLOVAKIA




Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	29327	85.09	65.03	35651	76.63	51.20
60-64	29793	82.94	49.65	36576	69.23	36.26
65-69	40648	102.27	64.94	51376	84.36	43.61
70-74	56888	131.85	96.43	72287	105.55	61.04
75-79	61933	135.32	93.74	82389	108.53	57.24
80-84	64997	135.75	97.44	87195	104.84	53.49
85-89	63108	127.16	92.29	86875	96.89	48.50



CEREBROVASCULAR DISEASES DENMARK

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	12295	82.65	39.11	14198	82.30	38.91
60-64	13140	79.16	40.18	15032	74.73	31.62
65-69	12623	70.57	36.93	14067	61.54	27.41
70-74	11903	61.28	34.44	13453	51.11	26.94
75-79	11408	54.44	34.19	13070	42.50	24.17
80-84	11570	51.30	32.00	14399	40.15	22.94
85-89*	8850	46.45	29.33	11978	37.72	22.46




* Information is missing for one or more years



CEREBROVASCULAR DISEASES FINLAND

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	10333	126.90	102.73	17777	133.73	92.31
60-64	10747	120.48	88.66	17327	117.29	73.72
65-69	12474	127.10	97.70	18938	115.09	75.09
70-74	11583	105.38	89.25	16627	88.34	58.87
75-79	10821	86.53	73.77	15090	67.41	44.17
80-84	10515	74.24	55.91	16215	58.36	34.26
85-89*	8974	71.15	53.40	14389	55.37	30.35

* Information is missing for one or more years



CEREBROVASCULAR DISEASES FRANCE







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	139281	101.51	78.09	170931	75.08	52.52
60-64	142096	95.85	67.20	176774	68.40	42.59
65-69	151413	94.60	63.19	189785	64.10	35.24
70-74	165308	91.88	60.29	214419	61.90	32.47
75-79	152371	76.72	49.04	203194	52.10	25.02
80-84	135593	61.95	39.29	189050	42.85	19.68
85-89*	95639	50.72	32.62	134547	34.56	14.95

* Information is missing for one or more years

CEREBROVASCULAR DISEASES GERMANY, GDR

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69						
70-74*	11754	45.23	20.47	18345	38.17	14.33
75-79*	22437	43.77	19.96	37239	37.34	13.69
80-84	37374	59.93	29.02	65458	49.45	18.52
85-89	36636	60.98	29.45	66604	49.27	18.22

* Information is missing for one or more years









CEREBROVASCULAR DISEASES GERMANY,FRG

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	195329	125.39	69.33	243771	116.55	57.23
60-64	216005	120.98	65.49	274727	104.42	46.84
65-69	229778	117.25	61.95	308293	96.23	39.48
70-74	220417	106.26	54.16	311266	84.72	32.75
75-79	204477	92.44	47.79	307027	72.16	27.87
80-84	191764	80.28	42.14	305851	61.89	24.03
85-89	162978	63.59	33.04	276455	48.65	18.72

CEREBROVASCULAR DISEASES GREECE




Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64*	12834	67.78	50.01	17853	72.83	49.67
65-69	19316	76.36	48.85	27374	81.14	44.34
70-74	24010	75.49	46.19	34036	78.51	38.69
75-79	29863	82.20	47.64	42362	84.16	34.29
80-84	34759	83.12	43.45	48702	84.70	31.67
85-89*	29582	79.97	38.40	42137	81.17	25.82

* Information is missing for one or more years






CEREBROVASCULAR DISEASES HUNGARY

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	28571	112.16	86.16	37582	110.23	83.46
60-64	31620	112.68	74.85	40045	103.22	66.78
65-69	37170	120.71	75.35	46082	104.00	57.32
70-74	38704	115.79	80.51	47480	94.72	54.03
75-79	45275	126.31	100.55	54887	98.87	61.34
80-84	54546	147.48	135.04	65502	108.70	74.78
85-89	49703	133.59	131.89	60546	95.23	68.99



CEREBROVASCULAR DISEASES ICELAND

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	337	81.28	58.92	487	87.30	48.14
60-64	338	70.36	45.09	447	70.02	34.60
65-69	403	76.21	50.70	461	65.80	35.90
70-74	495	80.73	46.22	510	64.70	40.75
75-79	362	51.04	38.56	396	41.07	22.84
80-84	367	46.47	29.86	395	35.42	25.01
85-89	367	40.57	24.78	495	36.98	17.35



CEREBROVASCULAR DISEASES IRELAND







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	8449	79.87	66.20	10252	91.59	86.14
60-64	9033	85.71	66.33	10995	92.58	77.39
65-69	9913	95.08	67.88	12124	96.37	70.38
70-74	10573	99.56	66.12	12899	96.88	64.53
75-79	9783	91.15	61.30	12331	85.72	51.65
80-84	8206	74.40	45.85	10588	68.17	39.46
85-89*	5795	62.52	34.05	7791	56.82	27.96

* Information is missing for one or more years

CEREBROVASCULAR DISEASES ITALY

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	161987	118.24	79.53	164773	94.50	62.52
60-64	165509	109.39	74.65	171572	84.35	53.06
65-69	169832	105.59	69.62	185377	80.22	47.47
70-74	168207	96.27	62.00	192548	72.68	41.13
75-79	176424	89.06	58.99	208594	67.50	36.42
80-84	168969	79.88	49.32	210097	60.23	29.65
85-89*	133267	72.19	39.70	175531	54.69	23.39

* Information is missing for one or more years



CEREBROVASCULAR DISEASES LUXEMBOURG







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	602	84.56	49.71	641	64.72	35.05
70-74	1102	91.70	61.57	1177	64.37	28.42
75-79	1199	91.54	51.79	1446	70.26	28.40
80-84	1480	111.26	55.59	1987	83.80	32.43
85-89	1361	99.06	50.34	1920	72.75	29.38

* Information is missing for one or more years

CEREBROVASCULAR DISEASES MALTA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	883	131.28	106.52	1005	120.52	79.65
70-74	715	84.89	74.00	781	72.78	52.89
75-79	840	116.57	82.11	1007	109.22	57.92
80-84	702	79.74	59.23	756	61.32	34.97
85-89	756	71.82	50.97	921	60.70	21.60

* Information is missing for one or more years



CEREBROVASCULAR DISEASES NETHERLANDS







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	25143	79.51	36.15	30389	84.38	37.90
60-64	26016	72.01	34.42	30772	72.14	30.52
65-69	28530	71.15	38.04	32869	65.65	30.83
70-74	28562	66.04	37.77	34211	58.59	28.41
75-79	27626	59.03	33.35	33669	48.72	24.20
80-84	26036	51.29	28.59	34180	40.93	19.60
85-89*	19513	45.07	23.92	27723	35.78	17.02

* Information is missing for one or more years

CEREBROVASCULAR DISEASES NORWAY

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	10669	87.61	43.73	13794	89.86	44.57
60-64	12213	89.77	41.70	15436	88.93	40.02
65-69	13505	90.99	45.87	15809	80.41	37.77
70-74	13790	85.73	41.95	16523	72.39	30.05
75-79	12267	69.77	34.63	15716	59.79	26.04
80-84	11733	60.64	30.07	15168	48.80	18.75
85-89*	9144	55.68	27.25	12417	44.39	18.84




* Information is missing for one or more years



CEREBROVASCULAR DISEASES POLAND




Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59*	3839	35.79	39.57	5186	33.42	36.14
60-64	23464	41.55	41.67	32732	39.04	37.80
65-69	22132	33.29	31.24	30550	30.39	25.36
70-74	30558	40.15	38.69	41402	34.94	28.39
75-79	45667	51.91	52.47	61297	43.43	35.36
80-84	46322	48.65	53.85	61930	39.72	34.79
85-89	54577	54.17	61.99	70421	41.70	36.67

* Information is missing for one or more years



CEREBROVASCULAR DISEASES PORTUGAL

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	22329	123.87	93.96	28479	100.08	67.91
60-64	28595	137.37	99.33	36338	111.78	71.86
65-69	36021	164.57	116.03	45344	130.28	77.81
70-74	42901	186.83	116.04	54985	147.66	75.51
75-79	48696	198.72	115.52	59781	144.35	69.47
80-84	52815	168.55	98.71	65936	128.81	57.55
85-89	52160	143.26	78.92	65813	107.32	44.77



CEREBROVASCULAR DISEASES ROMANIA







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59*	5123	59.41	55.29	6385	58.12	52.20
60-64	39180	88.39	73.89	53736	91.09	68.50
65-69	52401	103.04	81.79	71909	105.21	72.73
70-74	58778	112.74	87.53	76649	106.40	71.93
75-79*	52633	111.42	88.80	66554	105.48	69.18
80-84	74082	115.05	95.40	91306	105.22	69.44
85-89						

* Information is missing for one or more years

CEREBROVASCULAR DISEASES SPAIN

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	67601	98.68	69.88	84219	84.80	58.65
60-64	78051	101.46	68.36	96787	87.78	56.21
65-69	86590	99.54	64.49	109418	86.27	48.66
70-74	97774	99.82	59.07	126828	85.14	41.19
75-79	107260	99.53	57.12	141000	83.14	37.57
80-84	101138	80.06	45.61	137532	66.56	27.36
85-89*	39080	70.01	40.26	54432	58.01	22.12

* Information is missing for one or more years









CEREBROVASCULAR DISEASES SWEDEN

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	22863	85.29	52.86	28740	90.05	57.12
60-64	22450	75.40	44.22	26488	72.80	39.55
65-69	20759	63.90	40.01	24904	59.66	31.97
70-74	20562	57.78	38.83	24453	51.21	29.55
75-79	21172	54.70	35.22	26208	46.68	25.21
80-84	20457	48.37	29.17	26333	40.18	20.41
85-89*	12307	44.93	25.38	16728	37.20	16.79

* Information is missing for one or more years




CEREBROVASCULAR DISEASES SWITZERLAND

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	14286	96.61	52.98	18385	86.72	48.82
60-64	14618	87.91	45.39	18371	75.07	33.02
65-69	14630	79.81	38.28	19102	67.67	27.13
70-74	14230	69.67	32.78	18869	57.58	22.46
75-79	14616	63.73	28.79	19240	49.14	18.10
80-84	13546	52.23	22.32	19342	41.21	14.94
85-89	11893	40.68	17.36	17455	30.87	10.29






CEREBROVASCULAR DISEASES UK, ENGLAND & WALES

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	154864	106.45	73.33	218771	96.05	66.50
60-64	155921	103.17	68.43	229926	90.61	57.91
65-69	156977	99.80	63.87	237221	84.76	51.36
70-74	155038	91.81	57.85	245555	79.18	46.41
75-79	142740	78.75	50.39	231012	68.83	40.28
80-84	132959	66.73	41.80	216418	58.19	32.94
85-89	131607	59.48	34.88	218827	52.34	27.03



CEREBROVASCULAR DISEASES UK, NORTHERN IRELAND

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	4458	108.50	76.97	6080	113.12	87.13
60-64	4603	105.52	70.54	6493	108.50	75.82
65-69	4861	103.03	68.44	6472	98.56	62.01
70-74	5210	113.81	69.66	7271	101.85	61.56
75-79	4762	108.91	62.50	7023	93.95	51.76
80-84	3908	79.49	47.94	6448	75.01	41.49
85-89	3537	68.34	42.18	5742	60.56	32.81









CEREBROVASCULAR DISEASES UK, SCOTLAND

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	20286	133.83	89.62	28411	127.31	92.27
60-64	20670	133.53	86.71	28890	118.96	79.43
65-69	19969	126.83	79.76	31013	116.75	73.88
70-74	20009	121.58	79.39	30788	105.15	68.29
75-79	18338	107.10	71.27	28868	91.42	61.93
80-84	16811	91.17	57.65	27487	78.71	49.78
85-89	15690	78.40	47.64	26217	67.64	40.19

CEREBROVASCULAR DISEASES YUGOSLAVIA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64*	20747	65.87	56.71	26235	59.99	49.75
65-69	32403	75.04	63.54	40657	68.69	53.14
70-74	37768	77.84	69.36	46818	70.37	53.06
75-79	44004	80.50	67.51	54016	70.98	50.96
80-84	54231	88.78	74.97	64448	74.59	49.77
85-89*	36899	93.46	78.06	45624	79.95	53.40

* Information is missing for one or more years



CEREBROVASCULAR DISEASES CANADA







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	36331	79.57	55.66	38184	80.21	56.08
60-64	36934	71.12	48.79	39533	69.14	43.99
65-69	37678	66.50	44.58	40281	59.25	36.50
70-74	38505	63.33	42.06	42612	52.61	32.52
75-79	36007	53.66	34.82	42307	44.53	26.95
80-84	31829	41.28	26.12	40462	35.60	20.67
85-89*	23633	33.69	21.01	32204	29.82	16.58

* Information is missing for one or more years

CEREBROVASCULAR DISEASES UNITES STATES OF AMERICA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	442430	87.83	71.76	479400	79.26	62.05
60-64	462633	82.36	64.89	520732	72.94	53.73
65-69	472102	77.72	60.70	554549	66.84	47.32
70-74	467307	72.25	54.53	584032	60.83	42.24
75-79	386321	54.06	39.22	523391	46.16	31.12
80-84	324801	40.97	30.07	476563	36.52	24.45
85-89*	238764	34.19	26.40	364281	31.39	20.95




* Information is missing for one or more years



CEREBROVASCULAR DISEASES ARGENTINA

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69*	38681	87.59	95.95	33708	67.85	55.29
70-74*	10630	94.85	101.37	9388	69.33	57.96
75-79*	34917	80.94	90.70	31969	61.75	55.29
80-84	61806	79.28	92.13	58411	58.27	55.10
85-89*	24408	74.87	88.06	23480	54.03	50.80




* Information is missing for one or more years



CEREBROVASCULAR DISEASES CHILE

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	10118	86.04	109.66	10676	78.37	91.15
60-64	11250	88.53	106.80	12245	81.28	92.93
65-69	12570	93.11	100.24	14075	86.39	85.58
70-74	13431	88.34	90.68	15631	81.05	78.82
75-79	13646	78.50	74.85	16430	68.96	64.73
80-84	15905	79.10	68.95	17899	64.25	53.54
85-89*	9487	72.38	62.49	10686	58.00	46.74

* Information is missing for one or more years



CEREBROVASCULAR DISEASES COLOMBIA







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	7447	41.94	51.79	8808	44.88	57.56
60-64	10216	49.99	61.73	12652	54.79	68.90
65-69	13738	59.52	66.43	16694	63.77	75.63
70-74*	7103	66.04	73.68	8797	72.08	82.33
75-79*	11835	68.01	74.80	14362	73.76	85.37
80-84						
85-89						

* Information is missing for one or more years

CEREBROVASCULAR DISEASES COSTA RICA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64*	690	48.41	40.68	662	45.30	40.11
65-69	1167	57.19	44.83	1143	54.31	43.02
70-74	1275	50.88	38.12	1272	48.98	37.30
75-79	1322	47.56	32.47	1380	45.17	31.44
80-84	1533	44.71	29.69	1664	46.37	30.32
85-89*	1491	52.08	31.59	1580	44.21	27.85

* Information is missing for one or more years



CEREBROVASCULAR DISEASES CUBA







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64*	2329	83.64	68.19	2087	78.74	55.93
65-69*	5528	91.05	55.43	5214	89.52	55.36
70-74	12680	62.41	48.57	11734	62.44	48.49
75-79	13214	56.66	53.58	12436	57.85	52.57
80-84	14416	54.01	57.32	13577	53.59	54.30
85-89*	13317	56.64	61.84	12543	53.64	55.00

* Information is missing for one or more years

CEREBROVASCULAR DISEASES DOMINICAN REPUBLIC

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69	1230	24.61	32.75	1118	23.27	28.04
70-74	1761	30.59	41.76	1657	28.53	40.45
75-79	2352	35.33	47.08	2300	34.89	47.30
80-84	3203	44.24	48.44	2973	40.32	45.86
85-89*	883	58.77	60.42	843	52.85	53.36

* Information is missing for one or more years



CEREBROVASCULAR DISEASES ECUADOR







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64*	1251	30.72	35.05	1121	29.18	28.16
65-69	2554	37.61	38.69	2505	34.04	32.64
70-74	3180	41.29	42.40	3295	38.94	36.60
75-79*	3579	46.53	48.03	3426	39.15	37.87
80-84*	3253	50.95	48.37	2947	41.43	36.61
85-89*	5021	49.48	48.63	4814	41.92	36.85

* Information is missing for one or more years

CEREBROVASCULAR DISEASES MEXICO

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59*	5883	29.13	39.03	6480	30.79	35.37
60-64	18362	35.61	44.07	21732	40.61	45.46
65-69	24300	41.27	49.01	28157	45.03	47.09
70-74	30456	40.95	47.92	34241	42.50	46.45
75-79*	18537	38.26	41.35	21506	39.83	40.30
80-84*	22237	39.52	39.97	25492	38.59	36.46
85-89*	16516	39.50	34.62	19263	37.47	31.02

* Information is missing for one or more years



CEREBROVASCULAR DISEASES PANAMA







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	973	65.47	66.02	894	59.65	66.73
60-64	1220	73.48	64.81	1141	67.10	59.65
65-69	1393	72.93	60.27	1336	65.51	59.66
70-74	1478	64.18	57.92	1356	57.63	53.82
75-79	1538	59.72	52.63	1342	49.53	42.91
80-84	1695	51.97	40.40	1605	47.95	39.31
85-89*	1344	60.12	43.16	1232	54.10	34.81

* Information is missing for one or more years

CEREBROVASCULAR DISEASES PARAGUAY(REPORTING)

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74	1642	92.43	90.47	1910	83.97	74.05
75-79	2247	101.32	99.16	2524	88.85	90.24
80-84*	1612	82.24	84.87	1856	75.92	81.63
85-89*	1303	108.83	96.43	1274	86.80	71.51

* Information is missing for one or more years



CEREBROVASCULAR DISEASES PERU







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69*	3897	30.46	32.06	3712	25.39	22.79
70-74*	4019	28.16	27.97	3801	23.85	20.70
75-79*	2051	22.37	19.23	2047	20.53	15.79
80-84*	5518	27.95	24.43	5460	24.49	20.42
85-89						

* Information is missing for one or more years

CEREBROVASCULAR DISEASES PUERTO RICO

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64*	2559	64.32	54.99	2420	55.21	40.84
65-69*	1280	56.29	45.68	1247	50.82	32.92
70-74	3582	53.55	47.07	3539	46.91	33.08
75-79*	3103	51.43	41.47	3134	45.85	32.79
80-84	3456	36.99	28.14	3534	32.59	19.96
85-89*	2184	36.59	28.85	2001	27.50	15.40




* Information is missing for one or more years



CEREBROVASCULAR DISEASES URUGUAY

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	5383	84.47	89.02	6825	87.91	84.69
60-64*	3675	89.19	82.45	4366	85.56	69.43
65-69	7107	98.02	86.16	8441	92.27	68.39
70-74	7922	101.66	87.28	9387	94.56	65.02
75-79*	6216	88.31	74.60	7681	78.61	55.70
80-84	7680	79.69	70.04	10073	73.74	52.35
85-89*	4630	75.04	65.66	6453	72.64	47.64




* Information is missing for one or more years



CEREBROVASCULAR DISEASES VENEZUELA

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	3138	44.44	53.21	3754	43.69	48.51
60-64	4153	50.48	56.20	4990	48.67	53.29
65-69	5933	61.84	61.51	6993	56.78	55.38
70-74	7332	61.00	63.44	8498	58.83	57.24
75-79	9799	65.88	66.41	10721	63.42	57.21
80-84*	8919	58.95	56.63	9938	56.43	49.76
85-89*	4445	50.28	47.74	4970	48.16	44.16

* Information is missing for one or more years



CEREBROVASCULAR DISEASES EGYPT (PART)







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	3167	20.32	22.73	2339	14.54	13.39
60-64	2917	11.16	15.11	2082	7.48	8.30
65-69*	3700	13.34	17.80	2751	9.46	10.35
70-74	6770	13.06	17.30	4888	8.90	10.42
75-79	9995	16.02	22.09	6805	11.07	13.12
80-84*	2748	20.20	25.71	1977	14.77	18.06
85-89*	5186	36.58	42.73	4093	30.65	29.79

* Information is missing for one or more years

CEREBROVASCULAR DISEASES MAURITIUS

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64*	840	118.40	180.96	683	81.91	100.13
65-69	1032	105.09	139.96	877	71.92	90.87
70-74	1344	123.39	150.46	1132	82.93	94.04
75-79	1998	160.53	213.67	1325	85.60	79.44
80-84	2267	185.24	197.36	1799	99.18	86.47
85-89*	1342	140.57	169.98	1097	91.80	81.03

* Information is missing for one or more years



CEREBROVASCULAR DISEASE HONG KONG







Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64	3831	113.99	132.05	3642	66.56	64.98
65-69	4393	100.59	105.78	4837	66.98	62.82
70-74	4773	81.34	82.21	4964	53.31	47.92
75-79	6360	83.12	80.05	7244	61.32	53.68
80-84	7877	72.54	72.53	8528	56.18	49.30
85-89*	4294	55.93	52.40	4775	43.52	33.94

* Information is missing for one or more years

CEREBROVASCULAR DISEASE ISRAEL

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79	7082	75.49	49.07	8280	79.89	47.42
80-84	6684	59.13	38.44	7893	61.14	34.86
85-89*	3735	48.56	34.84	4402	48.03	23.53

* Information is missing for one or more years









CEREBROVASCULAR DISEASE JAPAN

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59	351777	219.69	236.11	321464	157.68	158.42
60-64	424642	235.21	229.92	374380	159.62	137.71
65-69	466208	228.15	199.28	404014	150.20	110.26
70-74	471547	198.99	157.23	421645	131.23	82.93
75-79	431362	153.06	114.43	413205	104.38	60.24
80-84	373245	110.51	80.99	379933	76.58	43.15
85-89	303633	74.99	56.78	333623	52.82	30.73

CEREBROVASCULAR DISEASE KOREA (SOUTH)

Years of Death	MALES			FEMALES		
	Deaths Number	World Stand	Trunc 35-64	Deaths Number	World Stand	Trunc 35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84						
85-89*	41948	128.90	136.39	36417	73.07	75.49

* Information is missing for one or more years



CEREBROVASCULAR DISEASES PHILIPPINES







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64*	5335	38.54	53.53	3902	26.57	32.09
65-69	17514	45.27	53.99	12618	31.24	35.14
70-74	15273	28.36	37.57	10723	19.65	22.07
75-79*	10003	27.79	35.96	7229	20.27	21.75
80-84*	5824	49.69	57.97	4205	33.30	32.68
85-89						

* Information is missing for one or more years

CEREBROVASCULAR DISEASES SRI LANKA

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	2852	20.01	29.45	1801	13.02	16.82
60-64	3330	20.00	27.55	2174	15.25	19.62
65-69*	3834	25.09	31.80	2221	17.32	21.26
70-74						
75-79*	1130	22.70	31.39	728	17.17	21.54
80-84*	4533	21.19	27.81	2748	14.68	18.05
85-89*	1473	26.06	35.68	922	18.18	20.35

* Information is missing for one or more years



CEREBROVASCULAR DISEASE
KUWAIT







Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69						
70-74						
75-79	621	68.80	64.03	414	52.17	57.77
80-84	488	44.61	33.58	299	33.39	28.71
85-89*	241	32.59	19.55	162	27.10	15.39

* Information is missing for one or more years

CEREBROVASCULAR DISEASE
SINGAPORE

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64*	655	82.87	98.49	633	70.45	90.57
65-69	1959	92.12	98.72	1845	74.12	72.62
70-74	2778	98.98	111.08	2790	86.72	86.09
75-79	3283	106.64	98.70	3539	95.69	76.99
80-84	3277	84.43	85.58	3944	84.56	65.97
85-89*	1911	75.16	69.86	2205	68.11	52.58




* Information is missing for one or more years



CEREBROVASCULAR DISEASES SYRIA (PART)

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59						
60-64						
65-69						
70-74						
75-79						
80-84*	1297	14.98	19.49	882	10.46	11.56
85-89*	367	10.05	13.96	267	7.63	10.74




* Information is missing for one or more years



CEREBROVASCULAR DISEASES THAILAND

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59*	2006	8.54	16.14	1014	4.17	7.09
60-64	3944	9.28	15.94	2208	4.92	7.93
65-69	6045	12.60	21.32	3614	7.38	11.11
70-74	8757	15.59	27.46	5296	8.99	14.42
75-79*	7178	14.68	25.58	4357	8.29	14.07
80-84	17064	22.37	36.70	10121	12.65	18.99
85-89*	9050	17.33	27.49	5695	10.35	16.19

* Information is missing for one or more years



CEREBROVASCULAR DISEASE AUSTRALIA

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	24886	101.16	84.25	32459	103.70	84.03
60-64	26546	97.22	76.49	35134	95.72	71.62
65-69	30364	101.96	75.22	40719	94.85	66.07
70-74	32909	102.72	69.85	46569	95.41	60.77
75-79	29733	81.22	54.52	42987	74.33	46.03
80-84	27151	63.99	39.77	39567	56.67	30.49
85-89*	20385	50.99	28.49	30524	45.53	21.45

* Information is missing for one or more years

CEREBROVASCULAR DISEASE NEW ZEALAND

Years of Death	MALES			FEMALES		
	Deaths	World	Trunc	Deaths	World	Trunc
	Number	Stand	35-64	Number	Stand	35-64
55-59	5176	81.43	60.25	7160	94.90	78.02
60-64	5679	83.53	59.24	7858	89.01	61.85
65-69	6222	87.67	60.49	8725	88.80	61.88
70-74	6891	92.61	59.89	10051	91.36	58.67
75-79	6289	78.03	49.65	9204	75.86	49.76
80-84	5955	65.93	38.59	8678	60.04	35.43
85-89*	3381	55.56	34.00	5108	52.39	29.15

* Information is missing for one or more years

